

# KIT-8308XEC-SL/8-BS31A11M | XVR KIT series

8-Channel 1080P LITE XVR with 8 x 720P Plastic HD Cameras



## Key Features

**XVR Model: Z8308XEC-SL**

- Up to HD 1080P Lite recording
- Universal plug-n-play for AHD/TVI/CVI/CVBS technology
- Friendly and intuitive GUI(Graphic User Interface)
- Support Cloud Service to enable remote monitoring in single click
- Support mobile phone monitoring (iOS / Android)
- Support VGA, HDMI simultaneously output



**Camera Model: BS31A11M**

- Crystal clear image to provide more details
- Real-time data transmission without any delay
- 500m Long distance transmission via coaxial cable
- AHD/TVI/CVI 3-in-1 signal output
- Built-in with UTC chipset for flexible remote switch output technology



## Specifications

Model	Z8308XEC-SL
Compression	H.264
Operating System	Embedded LINUX
Main Processor	Embedded Processor
Input Mode	8CH HD Analog; 4CH IP + 4CH HD Analog; 8CH 1080P IP
Output	VGA/HDMI
Audio	1 in / 1 out
Recording	1080P Lite 10fps
Recording Type	Timing, Manual, Motion Detection External Alarm
Playback	8CH
Search Mode	Time/ Date, Event and Channel Search


USB	USB2.0* 2
Backup File Format	DAV, AVI
Browsers	IE/Chrome/Firefox
Smart Phone	Support iOS, Android
Hard Disk	1 SATA
Network Port	10 / 100 Mbps Ethernet (RJ-45)
Network Protocol	TCP/IP, DHCP, DDNS, NTP, SMTP
Power Supply	DC12V /2A
Working Temperature	0°C ~+55°C
Working Humidity	10% ~ 90% Humidity
Dimensions	252mm*226.5mm*47.5mm


Model	BS31A11M
Image Sensor	1/4" CMOS Sensor
Lens Type	2.8mm fixed lens
Resolution	720P@25fps
Signal Out Type	AHD/TVI/CVI
UTC(OSD)	Supported
IR Board	12pcs SMT LED
IR Distance	20M
Casing	Plastic mini Bullet

Effective Pixels	1280*720
Minimum Illumination	0.1Lux/F2.4 (color) 0 Luxwith IR on
Electronic Shutter Speed	1/50(1/60)~1/10,000sec
Day/Night	Auto ICR
Power Supply	DC12V±10%
Working Environment	-10°C ~ 60°C , Humidity< 90% RH
Power Consumption	3.2W
Dimensions	165mm*75mm*65mm

## Dimensions (mm)

720P Analog Camera





Package

Z8308XEC-SL * 1	
Camera BS31A11M * 8	
12V/2A Power Adapter * 1	
12V/4A Power Adapter * 1	
18m BNC/Power Cable *8	
1 split 8 Power line * 1	
Mouse * 1	
Package Dimensions	345mm*256mm*300mm
Package Weight	7.35KG



More details