

2017

SBTL2000 & SBTL3000 series

Introduction

Eko xiao
(+86) 018575553302
eko.xiao@zkteco.com
www.zkteco.com



What mean of the SBTL

➤ About ZK SBTL

SBT : swing barrier turnstile

S : simple


L : low-end



SBT1000S

Product Introduction


SBTL2000



L: 1200 W: 280 H: 1000

➤ Product Introduction


SBTL2011



L: 1200 W: 280 H: 1000

Product Introduction

SBTL2211




SBTL2222



L: 1200 W: 280 H: 1000

Product Introduction

SBTL3000



Product Introduction

SBTL3200



L: 1500 W: 260 H: 1000

Parameters

- Power Requirement: AC100-120V/200-240V,50-60Hz
- controller Input voltage: DC24V
- Communication Interface: RS485 RJ45 (3G wifi)
- Working Environment: indoor/outdoor
- Infrared sensor: 6

➤ Performance

- SUS304 stainless steel body , rust-proof
- Simple structure, convenient to maintenance
- Anti-collision & water-proof
- Anti-impact
- Integrated in ZK's biometric technology which offer safer access control

➤ Performance

- Easy to install and Visualized Operations
- Global technical support team to solve problems quickly


➤ Controller Introduction

Access Control Model	N/A	C3-200 controller and KR100E reader	inBIO260 controller and FR1200/ID reader
SBTL2000	✓		
SBTL2011		✓	
SBTL2022			✓
SBTL3000	✓		
SBTL3011		✓	
SBTL3022			✓


Controller Introduction

Access Controller	Model	Function
Standard Series	C3-100	single lane bidirectional controller,3W ID Card Capacity,10W Record
	C3-200	double lane bidirectional controller,3W ID Card Capacity,10W Record
	C3-400	four lane unidirectional controller ,3W ID Card Capacity,10W Record
inBIO Series	C3-160	single lane bidirectional controller, controller combined with Fingerprint module
	C3-260	double lane bidirectional controller, controller combined with Fingerprint module
	C3-460	four lane unidirectional controller, controller combined with Fingerprint module


➤ Mechanical




SBTL2000 & SBTL3000



SBTL2200 & SBTL3200



SBTL2200 & SBTL3200



Setting Menu

Device
mode

Max motor
run time

Open
duration

Language
options

Opening
speed

False
direction
enter

Anti tailgate

Close
barrier time


Set barrier
position

Memory
function


Brake
stop
angle

Fire alarm
input

Installation



➤ ZKbiosecurity3.0



The image shows the ZKBioSecurity user login interface. It features a dark grey header with the ZKBioSecurity logo. Below the header, there are two tabs: 'User Login' and 'Person Self-Login'. The 'User Login' tab is active. The login form consists of two input fields: 'Personnel ID' and 'Reservation Code'. Below these fields, there is a checkbox for 'Automatic login within two weeks' and a link for 'Forget Password?'. At the bottom of the form is a large 'Login' button.

ZKBioSecurity


User Login | Person Self-Login

Personnel ID

Reservation Code

☐ Automatic login within two weeks | [Forget Password?](#)

Login



The image shows the 'Entry Registration' form. It is a complex form with multiple fields for user registration. The fields are organized into several sections. The top section includes 'Host/Visited*', 'Visit Department', 'Visit Reason*', 'ID Type*', 'ID Number*', 'Entrance*', 'First Name*', 'Last Name', 'Gender', 'Company', 'Telephone', 'Car Plate', 'Fingerprint', 'Visitor Count*', and 'Carrying Goods'. The bottom section includes 'Card Number Type', 'Site Code', 'Card Number', 'Visitor Level', 'Start Time', and 'End Time'. There are also two photo capture areas: 'Head Portrait' and 'Catch Photo'. The 'Catch Photo' area has a 'Capture' button. At the bottom of the form are three buttons: 'Save and New', 'OK', and 'Cancel'.

Entry Registration

Host/Visited* 13(Jack) Visit Department Market Department Visit Reason* Visit

ID Type* Passport ID Number* 111 Entrance* market

First Name* Dean Last Name Winchester Gender Male

Company Zk Telephone 18030040789 Car Plate

Fingerprint Register Visitor Count* 1 Carrying Goods sugar

Fingerprint Count: 0 Download New Driver

Card Number Type Site Code Card Number Visitor Level visitor(Access)

Without Site Code Start Time 2015-07-30 16:19:50

End Time 2015-07-30 23:59:59

Head Portrait

Catch Photo

Capture

Save and New OK Cancel

- More suitable for medium or large projects
- One server support 500 devices, distributed servers can support 2000 devices
- base the B/S frame
- More convenient improvement such daily report sending and more fast visitor regist, such as OCR .

➤ Optional Functions

Coin selector



if the coin received same with template , then collect will output a single
Application : such as Game Hall , amusement park.....

➤ Optional Functions

Card Collector



Application : metro station , building...

A background image showing three business professionals in an office setting. Two men and one woman are gathered around a table, looking at documents and a laptop. The scene is dimly lit, with light coming from a window in the background. A semi-transparent dark grey bar is overlaid across the middle of the image, and a green rectangular box is overlaid in the lower right quadrant.

THANK YOU

Eko xiao
(+86) 018575553302
eko.xiao@zkteco.com
www.zkteco.com



If you have any question , please contact me :
eamil : eko.xiao@zkteco.com